



ELSEVIER

Solar Energy Materials & Solar Cells 75 (2003) 787–805

Solar Energy Materials
& Solar Cells

www.elsevier.com/locate/solmat

Author index to volumes 74 + 75

- Aberle, A.G., *see* Altermatt, P.P. (74) 165
Aberle, A.G., *see* Cho, E.-C. (74) 147
Aberle, A.G., *see* Neuhaus, D.H. (74) 225
Aberle, A.G., *see* Widenborg, P. (74) 305
Abou El-Zahab, E.M., *see* Nafeh, Abd El-Shafy A. (75) 723
Adurodija, F., *see* Aramoto, T. (75) 211
Ahn, B.-T., *see* Ahn, J.H. (74) 315
Ahn, B.T., *see* Lee, D.Y. (75) 73
Ahn, B.T., *see* Yun, J.H. (75) 203
Ahn, H., *see* Heo, J. (75) 193
Ahn, J.H., J.H. Eom, K.H. Yoon and B.-T. Ahn, Low-temperature crystallization of amorphous Si films using AlCl_3 vapor (74) 315
Airey, R., *see* Bushnell, D.B. (75) 299
Allebe, C., *see* Szlufcik, J. (74) 155
Altermatt, P., *see* Maddalena, P. (75) 397
Altermatt, P.P., A.G. Aberle, J. Zhao, A. Wang and G. Heiser, A numerical model of p-n junctions bordering on surfaces (74) 165
Altermatt, P.P., *see* Parretta, A. (75) 387
Altermatt, P.P., *see* Parretta, A. (75) 497
Andrá, G., *see* Sinh, N.D. (74) 295
Aoyama, K., *see* Fujita, R. (75) 319
Arai, E., *see* Takeuchi, K. (75) 427
Araki, I., *see* Uematsu, T. (75) 557
Araki, K. and M. Yamaguchi, Novel equivalent circuit model and statistical analysis in parameters identification (75) 457
Araki, K. and M. Yamaguchi, Extended distributed model for analysis of non-ideal concentration operation (75) 467
Araki, K. and M. Yamaguchi, Influences of spectrum change to 3-junction concentrator cells (75) 707
Araki, K. and M. Yamaguchi, Sunshine environment and spectrum analysis for concentrator PV systems in Japan (75) 715
Araki, K., *see* Khan, A. (75) 271
Aramoto, T., F. Adurodija, Y. Nishiyama, T. Arita, A. Hanafusa, K. Omura and A. Morita, A new technique for large-area thin film CdS/CdTe solar cells (75) 211
Arimune, H., *see* Niira, K. (74) 247
Arita, T., *see* Aramoto, T. (75) 211
Azuma, H., A. Takeuchi, T. Ito, H. Fukushima, T. Motohiro and M. Yamaguchi, Pulsed KrF excimer laser annealing of silicon solar cell (74) 289

Bär, M., Ch.-H. Fischer, H.-J. Muffler, S. Zweigart, F. Karg and M.C. Lux-Steiner, Replacement of the CBD-CdS buffer and the sputtered i-ZnO layer by an ILGAR-ZnO WEL: optimization of the WEL deposition (75) 101
Bardos, R., *see* Neuhaus, D.H. (74) 225

- Barnham, K.W.J., *see* Bushnell, D.B. (75) 299
- Barnham, K.W.J., *see* Chatten, A.J. (75) 363
- Barua, A.K., *see* Ray, S. (74) 387
- Barua, A.K., *see* Jana, M. (74) 407
- Bau, S., *see* Kieliba, T. (74) 261
- Berge, C., *see* Bergmann, R.B. (74) 213
- Bergmann, J., *see* Sinh, N.D. (74) 295
- Bergmann, R.B., C. Berge, T.J. Rinke, J. Schmidt and J.H. Werner, Advances in monocrystalline Si thin film solar cells by layer transfer (74) 213
- Berman, D., *see* Faiman, D. (75) 629
- Bett, A.W., *see* Hein, M. (75) 277
- Biro, D., R. Preu, O. Schultz, S. Peters, D.M. Huljic, D. Zickermann, R. Schindler, R. Lüdemann and G. Willeke, Advanced diffusion system for low contamination in-line rapid thermal processing of silicon solar cells (74) 35
- Bo, L., *see* Matsukawa, H. (75) 537
- Bodegård, M., *see* Kessler, J. (75) 35
- Boreland, M. and M. Isogami, High-temperature growth of thin film microcrystalline silicon on silicon carbide using EBEP-CVD (74) 561
- Bourgoin, J.C., *see* Sun, G.C. (75) 293
- Brammer, T., W. Reetz, N. Senoussaoui, O. Vetterl, O. Kluth, B. Rech, H. Stiebig and H. Wagner, Optical properties of silicon-based thin-film solar cells in substrate and superstrate configuration (74) 469
- Brogren, M. and A. Green, Hammarby Sjöstad - an interdisciplinary case study of the integration of photovoltaics in a new ecologically sustainable residential area in Stockholm (75) 761
- Brogren, M., J. Wennerberg, R. Kapper and B. Karlsson, Design of concentrating elements with CIS thin-film solar cells for facade integration (75) 567
- Bucher, E., *see* Hahn, G. (74) 57
- Bucher, E., *see* Neu, W. (74) 139
- Bucher, E., *see* Peter, K. (74) 219
- Bucher, E., *see* Spiegel, M. (74) 175
- Bucher, E., *see* Hauser, A. (75) 357
- Bultman, J.H., *see* van der Heide, A.S.H. (74) 43
- Burkhardt, R., *see* Fath, P. (74) 127
- Bushnell, D.B., N.J. Ekins-Daukes, K.W.J. Barnham, J.P. Connolly, J.S. Roberts, G. Hill, R. Airey and M. Mazzer, Short-circuit current enhancement in Bragg stack multi-quantum-well solar cells for multi-junction space cell applications (75) 299
- Buxton, B.F., *see* Chatten, A.J. (75) 363
- Campbell, P., *see* Widenborg, P. (74) 305
- Chaisitsak, S., *see* Tokita, Y. (75) 9
- Chang, S.-H., *see* Kang, M.-G. (75) 475
- Chatten, A.J., K.W.J. Barnham, B.F. Buxton, N.J. Ekins-Daukes and M.A. Malik, A new approach to modelling quantum dot concentrators (75) 363
- Cho, E.-C., J. Xia, A.G. Aberle and M.A. Green, Antireflection and surface passivation behaviour of $\text{SiO}_2/\text{Si}/\text{SiO}_2$ quantum wells on silicon (74) 147
- Cho, Y.H., *see* Ebong, A. (74) 51
- Choulat, P., *see* Szlufcik, J. (74) 155
- Ciorba, U., *see* Menna, P. (75) 519
- Close, J., The Hong Kong schools solar education programme (75) 739
- Connolly, J.P., *see* Bushnell, D.B. (75) 299
- Dakkak, M., *see* Muhida, R. (75) 697
- Damiani, B.M., *see* Ruby, D.S. (74) 133

- Das, C., *see* Ray, S. (74) 393
- Das, D., *see* Jana, M. (74) 407
- Das, R., *see* Ray, S. (74) 387
- de Angelis, N., *see* Sun, G.C. (75) 293
- de Held, E., *see* Faiman, D. (75) 629
- De Wolf, S., *see* Szlufcik, J. (74) 155
- Debarge, L., M. Schott, J.C. Muller and R. Monna, Selective emitter formation with a single screen-printed p-doped paste deposition using out-diffusion in an RTP-step (74) 71
- Dekkers, H., *see* Szlufcik, J. (74) 155
- Dhamrin, M., R. Ozaki and T. Saitoh, Quality evaluation and improvement of iron-doped electromagnetic multicrystalline silicon wafers (74) 203
- Dharmarasu, N., M. Yamaguchi, A. Khan, T. Takamoto, T. Ohshima, H. Itoh, M. Imaizumi and S. Matsuda, Low-energy proton-induced defects in n⁺/p InGaP solar cells (75) 327
- Dharmarasu, N., *see* Fahim, N.F. (75) 411
- Dharmarasu, N., *see* Khan, A. (75) 271
- Dharmarasu, N., *see* Yamaguchi, M. (75) 285
- Dimmler, B., *see* Powalla, M. (75) 27
- Dimroth, F., *see* Hein, M. (75) 277
- Dubail, J., *see* Meier, J. (74) 457
- Dubail, S., *see* Meier, J. (74) 457
- Duerinckx, F., *see* Szlufcik, J. (74) 155
- Ebest, G., *see* König, D. (75) 335
- Ebest, G., *see* König, D. (75) 381
- Ebong, A., Y.H. Cho, M. Hilali, A. Rohatgi and D. Ruby, Rapid thermal technologies for high-efficiency silicon solar cells (74) 51
- Ebong, A., *see* Rohatgi, A. (74) 117
- Eguchi, Y., *see* Uematsu, T. (75) 557
- Eid, A.E., *see* Fahim, N.F. (75) 411
- Eisele, W., A. Ennaoui, P. Schubert-Bischoff, M. Giersig, C. Pettenkofer, J. Krauser, M. Lux-Steiner, S. Zweigart and F. Karg, XPS, TEM and NRA investigations of Zn(Se,OH)/Zn(OH)₂ films on Cu(In,Ga)(S,Se)₂ substrates for highly efficient solar cells (75) 17
- Ekins-Daukes, N.J., *see* Bushnell, D.B. (75) 299
- Ekins-Daukes, N.J., *see* Chatten, A.J. (75) 363
- Endo, E. and Y. Tamura, Cost-effectiveness analysis of R&D on solar cells in Japan (75) 751
- Ennaoui, A., *see* Eisele, W. (75) 17
- Eom, J.H., *see* Ahn, J.H. (74) 315
- Eyer, A., *see* Kieliba, T. (74) 261
- Fahim, N.F., N. Kojma, M. Yamaguchi, Y. Ohshita, A.E. Eid and N. Dharmarasu, Electron spin resonance studies on defects in phosphorus ion-implanted C₆₀ films (75) 411
- Fahmy, F.H., *see* Nafeh, Abd El-Shafy A. (75) 723
- Fahrner, W.R., *see* Ulyashin, A. (74) 195
- Faiman, D., *see* Katz, E.A. (75) 421
- Faiman, D., D. Berman, E. de Held and H. Oldenkamp, Study of AC-module inverters under extreme desert conditions (75) 629
- Falk, F., *see* Sinh, N.D. (74) 295
- Fath, P., *see* Hahn, G. (74) 57
- Fath, P., H. Nussbaumer and R. Burkhardt, Industrial manufacturing of semitransparent crystalline silicon POWER solar cells (74) 127
- Fath, P., *see* Neu, W. (74) 139
- Fath, P., *see* Peter, K. (74) 219
- Fath, P., *see* Spiegel, M. (74) 175

- Fath, P., *see* Hauser, A. (75) 357
 Fay, S., *see* Meier, J. (74) 457
 Feitknecht, L., *see* Meier, J. (74) 457
 Feitknecht, L., J. Meier, P. Torres, J. Zürcher and A. Shah, Plasma deposition of thin film silicon: kinetics monitored by optical emission spectroscopy (74) 539
 Ferrazza, F., *see* Parretta, A. (75) 497
 Finger, F., *see* Lundszen, D. (74) 365
 Finger, F., *see* Rech, B. (74) 439
 Fischer, Ch.-H., *see* Bär, M. (75) 101
 Freeouf, J., *see* Li, G. (75) 307
 Froumin, N., *see* Katz, E.A. (75) 421
 Fujihara, T., *see* Nakamura, K. (75) 185
 Fujii, T., *see* Hiraoka, S. (75) 781
 Fujimura, Y., *see* Jung, S. (74) 421
 Fujisaki, T., A. Yamada and M. Konagai, Effects of grain boundaries on cell performance of poly-silicon thin film solar cells by 2-D simulation (74) 331
 Fujishiro, M., *see* Tanaka, T. (75) 115
 Fujita, R., M. Imaizumi, K. Aoyama, S. Matsuda and S. Tokunaga, Analysis of generated power of ETS-VII during solar activity maximum period (75) 319
 Fujiwara, T., *see* Itoh, T. (74) 379
 Fujiwara, Y., *see* Nagoya, Y. (75) 163
 Fukuda, S., *see* Yamamoto, K. (74) 449
 Fukui, K., *see* Niira, K. (74) 247
 Fukunaga, K., *see* Itoh, T. (74) 379
 Fukushima, H., *see* Azuma, H. (74) 289
 Fuyuki, T., *see* Ishikawa, Y. (74) 255
 Fuyuki, T., *see* Yamamoto, Y. (75) 433
 Fuyuki, T., *see* Nishioka, K. (75) 665

 Gao, M., *see* Ulyashin, A. (74) 195
 Ge, H.C., *see* Geng, X.H. (75) 489
 Geiger, P., *see* Hahn, G. (74) 57
 Geng, X.H., J.M. Xue, H.C. Ge, H.B. Li, Z.P. Wang, Q.Z. Wang and H.Z. Ren, Modeling of a-Si/poly-Si and a-Si/poly-Si/poly-Si stacked solar cells (75) 489
 Gerhard, A., *see* Rumberg, A. (75) 1
 Gerhards, C., *see* Spiegel, M. (74) 175
 Giersig, M., *see* Eisele, W. (75) 17
 Gilard, O., *see* Sun, G.C. (75) 293
 Goetzberger, A., J. Luther and G. Willeke, Solar cells: past, present, future (74) 1
 Golay, S., *see* Meier, J. (74) 457
 Gotoh, M., *see* Nakamura, K. (75) 185
 Green, A., *see* Brogren, M. (75) 761
 Green, M.A., *see* Cho, E.-C. (74) 147
 Green, M.A., *see* Parretta, A. (75) 497

 Hadi, H., S. Tokuda and S. Rahardjo, Evaluation of performance of photovoltaic system with maximum power point (MPP) (75) 673
 Hagihara, R., *see* Nishioka, K. (75) 665
 Hagihara, R., *see* Yagi, Y. (75) 655
 Hahn, G., P. Geiger, D. Sontag, P. Fath and E. Bucher, Influence of hydrogen passivation on majority and minority charge carrier mobilities in ribbon silicon (74) 57
 Hakuma, H., *see* Niira, K. (74) 247
 Hamada, M., *see* Matsukawa, H. (75) 537

- Hamakawa, Y., Solar PV energy conversion and the 21st century's civilization (74) 13
- Hamakawa, Y., *see* Hiraoka, S. (75) 781
- Hamakawa, Y., *see* Minemoto, T. (75) 121
- Hamakawa, Y., *see* Takakura, H. (74) 479
- Han, Y., *see* Heo, J. (75) 193
- Hanafusa, A., *see* Aramoto, T. (75) 211
- Hanoka, J.I., *see* Rohatgi, A. (74) 117
- Hara, I., *see* Kushiya, K. (75) 171
- Harder, N.-P., *see* Neuhaus, D.H. (74) 225
- Hasegawa, Y., *see* Medvedkin, G.A. (75) 127
- Hashigami, H., Y. Itakura and T. Saitoh, Interpretation of light-induced cell performance degradation by means of spectroscopic light illumination (75) 351
- Hashimoto, A., T. Kitano, A.K. Nguyen, A. Masuda, A. Yamamoto, S. Tanaka, M. Takahashi, A. Moto, T. Tanabe and S. Takagishi, Raman characterization of lattice-matched GaInAsN layers grown on GaAs (001) substrates (75) 313
- Hashimoto, A., *see* Yamamoto, A. (75) 451
- Hashimoto, T., *see* Yamamoto, S. (75) 577
- Hashimoto, Y., *see* Minemoto, T. (75) 121
- Hashimoto, Y., *see* Satoh, T. (75) 65
- Hatayama, T., *see* Ishikawa, Y. (74) 255
- Hatayama, T., *see* Nishioka, K. (75) 665
- Hatayama, T., *see* Yamamoto, Y. (75) 433
- Hausser, A., M. Spiegel, P. Fath and E. Bucher, Influence of an ammonia activation prior to the PECVD SiN deposition on the solar cell performance (75) 357
- Hayakawa, T., *see* Komatsu, Y. (74) 513
- Hayakawa, T., *see* Yamamoto, H. (74) 525
- Hayashi, K., *see* Yamamoto, K. (74) 449
- Hayashi, S., *see* Satoh, T. (75) 65
- Hein, M., F. Dimroth, G. Siefert and A.W. Bett, Characterisation of a 300 × photovoltaic concentrator system with one-axis tracking (75) 277
- Heiser, G., *see* Altermatt, P.P. (74) 165
- Heo, J., H. Ahn, R. Lee, Y. Han and D. Kim, Influence of ITO surface modification on the growth of CdS and on the performance of CdS/CdTe solar cells (75) 193
- Heo, J.H., *see* Parm, I.O. (74) 97
- Hezel, R., High-efficiency OEO Czochralski-silicon solar cells for mass production (74) 25
- Hilali, M., *see* Ebong, A. (74) 51
- Hill, G., *see* Bushnell, D.B. (75) 299
- Hirano, K., *see* Kurobe, K.-i. (74) 183
- Hiraoka, S., T. Fujii, H. Takakura and Y. Hamakawa, Tilt angle dependence of output power in an 80kWp hybrid PV system installed at Shiga in Japan (75) 781
- Hirose, K., *see* Medvedkin, G.A. (75) 127
- Hoornstra, J., *see* van der Heide, A.S.H. (74) 43
- Horzel, J., *see* Szlufcik, J. (74) 155
- Huljic, D.M., *see* Biro, D. (74) 35
- Hussein, R., *see* Ulyashin, A. (74) 195
- Huster, F., *see* Spiegel, M. (74) 175
- Ichikawa, M., *see* Yamamoto, K. (74) 449
- Ichimura, M., *see* Takeuchi, K. (75) 427
- Igarashi, K., *see* Komatsu, Y. (74) 513
- Ikki, O., Present status and future prospects of PV activities in Japan (75) 729
- Imaizumi, M., *see* Dharmarasu, N. (75) 327
- Imaizumi, M., *see* Fujita, R. (75) 319

- Imaizumi, M., *see* Lee, H.-S. (75) 57
 Imaizumi, M., *see* Khan, A. (75) 271
 Ishibashi, Y., *see* Masuda, A. (74) 373
 Ishida, T., *see* Yagi, Y. (75) 655
 Ishikawa, T., K. Kurokawa, N. Okada and K. Takigawa, Evaluation of operation characteristics in multiple interconnection of PV systems (75) 529
 Ishikawa, Y., Y. Yamamoto, T. Hatayama, Y. Uraoka and T. Fuyuki, Crystallographic analysis of high quality poly-Si thin films deposited by atmospheric pressure chemical vapor deposition (74) 255
 Ishikawa, Y., *see* Yamamoto, Y. (75) 433
 Isogami, M., *see* Boreland, M. (74) 561
 Isojima, K., *see* Kashiwaba, Y. (75) 253
 Isomura, M., K. Nakahata, M. Shima, S. Taira, K. Wakisaka, M. Tanaka and S. Kiyama, Microcrystalline silicon-germanium solar cells for multi-junction structures (74) 519
 Itakura, Y., *see* Hashigami, H. (75) 351
 Ito, M., K. Kato, H. Sugihara, T. Kichimi, J. Song and K. Kurokawa, A preliminary study on potential for very large-scale photovoltaic power generation (VLS-PV) system in the Gobi desert from economic and environmental viewpoints (75) 507
 Ito, T., *see* Azuma, H. (74) 289
 Ito, T., *see* Jung, S. (74) 421
 Itoh, H., *see* Dharmarasu, N. (75) 327
 Itoh, H., *see* Khan, A. (75) 271
 Itoh, H., *see* Lee, H.-S. (75) 57
 Itoh, H., *see* Tanaka, T. (75) 109
 Itoh, T., K. Fukunaga, Y. Katoh, T. Fujiwara and S. Nonomura, Doping of a-SiC_xH films including μ c-Si:H by hot-wire CVD and their application as a wide gap window for heterojunction solar cells (74) 379
 Izawa, T., *see* Oozeki, T. (75) 687
 Izumi, A., *see* Masuda, A. (74) 373

 Jäger-Waldau, A., *see* Rumberg, A. (75) 1
 Jana, M., D. Das and A.K. Barua, Promotion of microcrystallization by argon in moderately hydrogen diluted silane plasma (74) 407
 Jeong, J., *see* Rohatgi, A. (74) 117
 Jeong, W.-J. and G.-C. Park, Structural and electrical properties of CuGaS₂ thin films by electron beam evaporation (75) 93
 Jin, P., *see* Xu, G. (74) 267
 Job, R., *see* Ulyashin, A. (74) 195
 Joge, T., *see* Uematsu, T. (75) 557
 Jooss, W., *see* Neu, W. (74) 139
 Jooss, W., *see* Spiegel, M. (74) 175
 Joyce, D.B., *see* Khattak, C.P. (74) 77
 Jun, K.H., J.K. Rath and R.E.I. Schropp, Enhanced light-absorption and photo-sensitivity in amorphous silicon germanium/amorphous silicon multilayer (74) 357
 Jung, S., Y. Fujimura, T. Ito and H. Shirai, Chemistry of the chlorine-terminated surface for low-temperature growth of crystal silicon films by RF plasma-enhanced chemical vapor deposition (74) 421

 Kamesaki, K., *see* Masuda, A. (74) 373
 Kang, C., *see* Kang, J. (74) 91
 Kang, J., J. You, C. Kang, J.J. Pak and D. Kim, Investigation of Cu metallization for Si solar cells (74) 91
 Kang, K.H., *see* Lee, J.C. (74) 233

- Kang, K.W., *see* Song, H.K. (75) 145
- Kang, M.-G., N.-G. Park, Y.-J. Park, K.-S. Ryu and S.-H. Chang, Manufacturing method for transparent electric windows using dye-sensitized TiO₂ solar cells (75) 475
- Kapper, R., *see* Brogren, M. (75) 567
- Karg, F., *see* Bär, M. (75) 101
- Karg, F., *see* Eisele, W. (75) 17
- Karlsson, B., *see* Brogren, M. (75) 567
- Kashiwaba, Y., K. Isojima and K. Ohta, Improvement in the efficiency of Cu-doped CdS/non-doped CdS photovoltaic cells fabricated by an all-vacuum process (75) 253
- Kato, K., *see* Ito, M. (75) 507
- Kato, K., *see* Menna, P. (75) 519
- Kato, Y., *see* Itoh, T. (74) 379
- Katsumata, Y., *see* Medvedkin, G.A. (75) 135
- Katz, E.A., D. Faiman, S.M. Tuladhar, S. Shtutina, N. Froumin, M. Polak and Y. Strzhemechny, Diffusion processes for doping of C₆₀ (fullerene) thin films (75) 421
- Kawakita, S., *see* Lee, H.-S. (75) 57
- Kawamura, H., K. Naka, N. Yonekura, S. Yamanaka, H. Kawamura, H. Ohno and K. Naito, Simulation of *I*-*V* characteristics of a PV module with shaded PV cells (75) 613
- Kawamura, H., *see* Kawamura, H. (75) 613
- Kessler, J., J. Wennerberg, M. Bodegård and L. Stolt, Highly efficient Cu(In,Ga)Se₂ mini-modules (75) 35
- Kessler, J., *see* Wennerberg, J. (75) 47
- Khan, A., M. Yamaguchi, Y. Ohshita, N. Dharmaraso, K. Araki, V.T. Khanh, H. Itoh, T. Ohshima, M. Imaizumi and S. Matsuda, Strategies for improving radiation tolerance of Si space solar cells (75) 271
- Khan, A., *see* Dharmarasu, N. (75) 327
- Khan, A., *see* Sun, G.C. (75) 293
- Khan, A., *see* Yamaguchi, M. (75) 285
- Khanh, V.T., *see* Khan, A. (75) 271
- Khattak, C.P., D.B. Joyce and F. Schmid, A simple process to remove boron from metallurgical grade silicon (74) 77
- Kichimi, T., *see* Ito, M. (75) 507
- Kieliba, T., S. Bau, R. Schober, D. Obwald, S. Reber, A. Eyer and G. Willeke, Crystalline silicon thin-film solar cells on ZrSiO₄ ceramic substrates (74) 261
- Kim, D., *see* Kang, J. (74) 91
- Kim, D., *see* Kim, H. (74) 323
- Kim, D., *see* Kim, H. (74) 323
- Kim, D., *see* Heo, J. (75) 193
- Kim, D.S., *see* Lee, E.J. (74) 65
- Kim, D.S., *see* Parm, I.O. (74) 97
- Kim, H., D. Kim, G. Lee, D. Kim and S.H. Lee, Polycrystalline Si films formed by Al-induced crystallization (AIC) with and without Al oxides at Al/a-Si interface (74) 323
- Kim, H.J., *see* Song, H.K. (75) 145
- Kim, J., *see* Parm, I.O. (74) 97
- Kim, K., *see* Parm, I.O. (74) 97
- Kim, K.-H., *see* Seol, J.-S. (75) 155
- Kim, K.H., *see* Yun, J.H. (75) 203
- Kim, S.G., *see* Song, H.K. (75) 145
- Kim, S.K., *see* Lee, J.C. (74) 233
- Kim, S.K., *see* Song, H.K. (75) 145
- Kim, Y.-H., *see* Lee, S.-C. (75) 481
- Kim, Y.K., *see* Lee, K.M. (75) 439
- Kishi, H., *see* Yagi, Y. (75) 655

- Kitamura, A., *see* Takigawa, K. (75) 547
 Kitano, T., *see* Hashimoto, A. (75) 313
 Kitao, J., *see* Kunii, T. (74) 415
 Kiyama, S., *see* Maruyama, E. (74) 339
 Kiyama, S., *see* Isomura, M. (74) 519
 Kiyama, S., *see* Murata, K. (75) 647
 Kiyama, S., *see* Yagi, Y. (75) 655
 Kluth, O., *see* Rech, B. (74) 439
 Kluth, O., *see* Brammer, T. (74) 469
 Kobata, T., *see* Yamaguchi, T. (75) 87
 Koi, Y., *see* Yamamoto, K. (74) 449
 Koide, N., *see* Komatsu, Y. (74) 513
 Koizumi, H., *see* Matsukawa, H. (75) 537
 Koizumi, K., *see* Yoshioka, K. (75) 373
 Koizumi, K., K. Sugita, K. Yoshioka and T. Saitoh, Performance improvement of a static concentrator module with an asymmetric v-groove backsheet structure (75) 623
 Kojma, N., *see* Fahim, N.F. (75) 411
 Komatsu, Y., N. Koide, M.-J. Yang, T. Nakano, Y. Nagano, K. Igarashi, K. Yoshida, K. Yano, T. Hayakawa, H. Taniguchi, M. Shimizu and H. Takiguchi, a-Si/me-Si hybrid solar cell using silicon sheet substrate (74) 513
 Komatsu, Y., *see* Yamamoto, H. (74) 525
 Komoda, M., *see* Niira, K. (74) 247
 Komoto, K., *see* Menna, P. (75) 519
 Konagai, M., *see* Fujisaki, T. (74) 331
 Konagai, M., *see* Tokita, Y. (75) 9
 Kondo, M., *see* Miyahara, H. (74) 351
 Kondo, M., *see* Nakashima, T. (74) 429
 Kondo, M., *see* Suzuki, S. (74) 489
 Kondo, M., *see* Nasuno, Y. (74) 497
 Kondo, M., *see* Wada, T. (74) 533
 Kondo, M., *see* Mase, H. (74) 547
 König, D. and G. Ebest, Novel external field source by localization of electrons for improvement of solar cells (75) 335
 König, D. and G. Ebest, New contact frame design for minimizing losses due to edge recombination and grid-induced shading (75) 381
 Kopecek, R., *see* Peter, K. (74) 219
 Kosaka, M., *see* Uda, H. (75) 219
 Koshiishi, K., *see* Matsukawa, H. (75) 537
 Kozuma, S., *see* Yagi, Y. (75) 655
 Krauser, J., *see* Eisele, W. (75) 17
 Krč, J., M. Zeman, F. Smole, J.W. Metselaar and M. Topič, Analysis of light scattering in a-Si:H-based solar cells with rough interfaces (74) 401
 Kress, A., *see* Neu, W. (74) 139
 Kroll, U., *see* Meier, J. (74) 457
 Kunii, T., J. Kitao, K. Mori, N. Yoshida and S. Nonomura, Temperature dependence of absorption coefficient spectra for μ c-Si films by resonant photothermal bending spectroscopy (74) 415
 Kurobe, K.-i., M. Miura, K. Hirano and H. Matsunami, Spatial distribution of minority-carrier lifetime and local concentration of impurities in multicrystalline silicon solar cells (74) 183
 Kurokawa, K., *see* Ishikawa, T. (75) 529
 Kurokawa, K., *see* Ito, M. (75) 507
 Kurokawa, K., *see* Matsukawa, H. (75) 537
 Kurokawa, K., *see* Menna, P. (75) 519

- Kurokawa, K., *see* Oozeki, T. (75) 687
- Kurokawa, K., *see* Sugiura, T. (75) 767
- Kurokawa, K., *see* Tamura, J. (75) 585
- Kurokawa, K., *see* Yamaguchi, A. (75) 679
- Kushiya, K., *see* Nagoya, Y. (75) 163
- Kushiya, K., M. Ohshita, I. Hara, Y. Tanaka, B. Sang, Y. Nagoya, M. Tachiyuki and O. Yamase, Yield issues on the fabrication of 30 cm \times 30 cm-sized Cu(In,Ga)Se₂-based thin-film modules (75) 171
- Kushiya, K., *see* Sang, B. (75) 179
- Kuwabara, N., *see* Takigawa, K. (75) 547
- Lee, D.Y., B.T. Ahn, K.H. Yoon and J.S. Song, Effect of first-stage temperature on Cu(In,Ga)Se₂ solar cells using the evaporation of binary selenide compounds (75) 73
- Lee, D.Y., *see* Yun, J.H. (75) 203
- Lee, E.J., D.S. Kim and S.H. Lee, Ni/Cu metallization for low-cost high-efficiency PERC cells (74) 65
- Lee, G., *see* Kim, H. (74) 323
- Lee, H.-S., H. Okada, A. Wakahara, A. Yoshida, T. Ohshima, H. Itoh, S. Kawakita, M. Imaizumi and S. Matsuda, Effect of proton irradiation on electrical properties of CuInSe₂ thin films (75) 57
- Lee, J.-C., *see* Seol, J.-S. (75) 155
- Lee, J.-H., W.-C. Song, J.-S. Yi and Y.-S. Yoo, Characteristics of the CdZnS thin film doped by thermal diffusion of vacuum evaporated indium films (75) 227
- Lee, J.-H., D.-G. Lim and J.-S. Yi, Electrical and optical properties of CdTe films prepared by vacuum evaporation with close spacing between source and substrate (75) 235
- Lee, J.-H., *see* Lee, S.-C. (75) 481
- Lee, J.C., K.H. Kang, S.K. Kim, K.H. Yoon, J. Song and I.J. Park, Structural and electrical properties of polycrystalline silicon films deposited by hot-wire CVD (74) 233
- Lee, J.C., *see* Song, H.K. (75) 145
- Lee, J.H., *see* Parm, I.O. (74) 97
- Lee, K.M., S.H. Lee and Y.K. Kim, Effect of design parameters on the efficiency of the solar cells fabricated using SOI structure (75) 439
- Lee, R., *see* Heo, J. (75) 193
- Lee, S.-C., J.-H. Lee, T.-S. Oh and Y.-H. Kim, Fabrication of tin oxide film by sol-gel method for photovoltaic solar cell system (75) 481
- Lee, S.-Y., *see* Seol, J.-S. (75) 155
- Lee, S.H., *see* Lee, E.J. (74) 65
- Lee, S.H., *see* Parm, I.O. (74) 97
- Lee, S.H., *see* Kim, H. (74) 323
- Lee, S.H., *see* Lee, K.M. (75) 439
- Li, E.L., *see* Yamamoto, A. (75) 451
- Li, G., Q. Yang, Z. Yan, W. Li, S. Zhang, J. Freeouf and J.M. Woodall, Extreme radiation hardness and light-weighted thin-film indium phosphide solar cell and its computer simulation (75) 307
- Li, H.B., *see* Geng, X.H. (75) 489
- Li, W., *see* Li, G. (75) 307
- Lim, D.-G., *see* Lee, J.-H. (75) 235
- Lim, D.G., *see* Parm, I.O. (74) 97
- Lüdemann, R., *see* Biro, D. (74) 35
- Lundszien, D., F. Finger and H. Wagner, A-Si:H buffer in a-SiGe:H solar cells (74) 365
- Luther, J., *see* Goetzberger, A. (74) 1
- Lux-Steiner, M., *see* Eisele, W. (75) 17
- Lux-Steiner, M.C., *see* Bär, M. (75) 101
- Lux-Steiner, M.Ch., *see* Rumberg, A. (75) 1

- Maddalena, P., A. Parretta, P. Tortora, P. Altermatt and J. Zhao, Simultaneous optical losses and current measurements in photovoltaic devices at variable angle of the incident light (75) 397
- Malik, M.A., *see* Chaten, A.J. (75) 363
- Maruyama, E., S. Okamoto, A. Terakawa, W. Shinohara, M. Tanaka and S. Kiyama, Toward stabilized 10% efficiency of large-area ($> 5000 \text{ cm}^2$) a-Si/a-SiGe tandem solar cells using high-rate deposition (74) 339
- Mase, H., M. Kondo and A. Matsuda, Microcrystalline silicon solar cells fabricated on polymer substrate (74) 547
- Masuda, A., Y. Ishibashi, K. Uchida, K. Kamesaki, A. Izumi and H. Matsumura, In situ chamber cleaning using atomic H in catalytic-CVD apparatus for mass production of a-Si:H solar cells (74) 373
- Masuda, A., *see* Hashimoto, A. (75) 313
- Matsuda, A., *see* Miyahara, H. (74) 351
- Matsuda, A., *see* Nakashima, T. (74) 429
- Matsuda, A., *see* Suzuki, S. (74) 489
- Matsuda, A., *see* Nasuno, Y. (74) 497
- Matsuda, A., *see* Mase, H. (74) 547
- Matsuda, A., *see* Wada, T. (74) 533
- Matsuda, S., *see* Dharmarasu, N. (75) 327
- Matsuda, S., *see* Fujita, R. (75) 319
- Matsuda, S., *see* Khan, A. (75) 271
- Matsuda, S., *see* Lee, H.-S. (75) 57
- Matsuda, Y., *see* Tanaka, T. (75) 115
- Matsukawa, H., K. Koshiishi, H. Koizumi, K. Kurokawa, M. Hamada and L. Bo, Dynamic evaluation of maximum power point tracking operation with PV array simulator (75) 537
- Matsumura, H., *see* Masuda, A. (74) 373
- Matsunami, H., *see* Kurobe, K.-i. (74) 183
- Matsushima, T., T. Setaka and S. Muroyama, Concentrating solar module with horizontal reflectors (75) 603
- Matsuura, K., *see* Muhida, R. (75) 697
- Mazzer, M., *see* Bushnell, D.B. (75) 299
- Medvedkin, G.A., E.I. Terukov, Y. Hasegawa, K. Hirose and K. Sato, Microdefects and point defects optically detected in Cu(In,Ga)Se_2 thin film solar cells exposed to the damp and heating (75) 127
- Medvedkin, G.A., T. Nishi, Y. Katsumata, H. Miyake and K. Sato, Study of point defects in CuGaSe_2 single crystals by means of electron paramagnetic resonance and photoluminescence (75) 135
- Meguro, T., *see* Yamamoto, K. (74) 449
- Meier, J., S. Dubail, S. Golay, U. Kroll, S. Fay, E. Vallat-Sauvain, L. Feitknecht, J. Dubail and A. Shah, Microcrystalline silicon and the impact on micromorph tandem solar cells (74) 457
- Meier, J., *see* Feitknecht, L. (74) 539
- Menna, P., U. Ciorba, F. Pauli, K. Komoto, K. Kato, J. Song and K. Kurokawa, Analysis of the impacts of transferring a photovoltaic modules manufacturing facility (75) 519
- Metselaar, J.W., *see* Krč, J. (74) 401
- Michira, M., *see* Muhida, R. (75) 697
- Minagawa, Y., *see* Muramatsu, S.-I. (74) 275
- Minagawa, Y., Y. Yazawa and S.-i. Muramatsu, Influence of doping concentration on Ni-induced lateral crystallization of amorphous silicon films (74) 283
- Minemoto, T., Y. Hashimoto, W. Shams-Kolahi, T. Satoh, T. Negami, H. Takakura and Y. Hamakawa, Control of conduction band offset in wide-gap Cu(In,Ga)Se_2 solar cells (75) 121
- Miura, M., *see* Kurobe, K.-i. (74) 183
- Miyahara, H., M. Takai, T. Nishimoto, M. Kondo and A. Matsuda, Electrode distance dependence of photo-induced degradation in hydrogenated amorphous silicon (74) 351

- Miyake, H., *see* Medvedkin, G.A. (75) 135
- Monna, R., *see* Debarge, L. (74) 71
- Mori, K., *see* Kunii, T. (74) 415
- Morita, A., *see* Aramoto, T. (75) 211
- Moto, A., *see* Hashimoto, A. (75) 313
- Motohiro, T., *see* Azuma, H. (74) 289
- Muffler, H.-J., *see* Bär, M. (75) 101
- Muhida, R., M. Park, M. Dakkak, K. Matsuura, A. Tsuyoshi and M. Michira, A maximum power point tracking for photovoltaic-SPE system using a maximum current controller (75) 697
- Mukhopadhyay, S., *see* Ray, S. (74) 393
- Muller, J.C., *see* Debarge, L. (74) 71
- Müller, J., *see* Rech, B. (74) 439
- Muramatsu, S.-I., Y. Minagawa, F. Oka, T. Sasaki and Y. Yazawa, Thin-film c-Si solar cells prepared by metal-induced crystallization (74) 275
- Muramatsu, S.-i., *see* Minagawa, Y. (74) 283
- Murata, K., T. Yagiura, K. Takeda, M. Tanaka and S. Kiyama, New type of photovoltaic module integrated with roofing material (highly fire-resistant PV tile) (75) 647
- Muroyama, S., *see* Matsushima, T. (75) 603
- Nafeh, Abd El-Shafy A., F.H. Fahmy and E.M. Abou El-Zahab, Evaluation of a proper controller performance for maximum-power point tracking of a stand-alone PV system (75) 723
- Nagano, Y., *see* Komatsu, Y. (74) 513
- Nagoya, Y., B. Sang, Y. Fujiwara, K. Kushiya and O. Yamase, Improved performance of Cu(In,Ga)Se₂-based submodules with a stacked structure of ZnO window prepared by sputtering (75) 163
- Nagoya, Y., *see* Kushiya, K. (75) 171
- Nagoya, Y., *see* Sang, B. (75) 179
- Naito, K., *see* Kawamura, H. (75) 613
- Naka, K., *see* Kawamura, H. (75) 613
- Nakahata, K., *see* Isomura, M. (74) 519
- Nakajima, A., *see* Yamamoto, K. (74) 449
- Nakamura, H., *see* Sugiura, T. (75) 767
- Nakamura, K., M. Gotoh, T. Fujiwara, T. Toyama and H. Okamoto, Influence of CdS window layer on 2-µm thick CdS/CdTe thin film solar cells (75) 185
- Nakamura, M., *see* Yamamoto, A. (75) 451
- Nakamura, S. and A. Yamamoto, Electrodeposited CuInS₂-based thin-film solar cells (75) 81
- Nakamura, S., *see* Yamamoto, A. (75) 451
- Nakamura, T., *see* Yamaguchi, T. (75) 87
- Nakano, T., *see* Komatsu, Y. (74) 513
- Nakashima, T., M. Kondo and A. Matsuda, Promising window layer of thin film Si solar cell with p-i-n structure prepared by using SiH₂Cl₂ (74) 429
- Nam, H.-D., *see* Seol, J.-S. (75) 155
- Narayanan, K.L. and M. Yamaguchi, Photovoltaic effects of a: C₆₀/Si (p-i-n) solar cell structures (75) 345
- Narayanan, S., Large area multicrystalline silicon solar cells in high volume production environment - history, status, new processes, technology transfer issues (74) 107
- Narayanan, S., *see* Ruby, D.S. (74) 133
- Nasuno, Y., M. Kondo and A. Matsuda, Microcrystalline silicon thin-film solar cells prepared at low temperature using PECVD (74) 497
- Negami, T., *see* Minemoto, T. (75) 121
- Negami, T., *see* Satoh, T. (75) 65
- Neu, W., A. Kress, W. Jooss, P. Fath and E. Bucher, Low-cost multicrystalline back-contact silicon solar cells with screen printed metallization (74) 139

- Neuhaus, D.-H., *see* Widenborg, P. (74) 305
- Neuhaus, D.H., N.-P. Harder, S. Oelting, R. Bardos, A.B. Sproul, P. Widenborg and A.G. Aberle, Dependence of the recombination in thin-film Si solar cells grown by ion-assisted deposition on the crystallographic orientation of the substrate (74) 225
- Nguyen, A.K., *see* Hashimoto, A. (75) 313
- Niira, K., H. Senta, H. Hakuma, M. Komoda, H. Okui, K. Fukui, H. Arimune and K. Shirasawa, Thin film poly-Si solar cells using PECVD and Cat-CVD with light confinement structure by RIE (74) 247
- Niiyama, S., *see* Yamaguchi, T. (75) 87
- Nijs, J., *see* Szlufcik, J. (74) 155
- Nishi, T., *see* Medvedkin, G.A. (75) 135
- Nishimoto, T., *see* Miyahara, H. (74) 351
- Nishioka, K., T. Hatayama, Y. Uraoka, T. Fuyuki, R. Hagihara and M. Watanabe, Field-test analysis of PV system output characteristics focusing on module temperature (75) 665
- Nishiyama, Y., *see* Aramoto, T. (75) 211
- Nonomura, S., *see* Itoh, T. (74) 379
- Nonomura, S., *see* Kunii, T. (74) 415
- Nussbaumer, H., *see* Fath, P. (74) 127
- Oelting, S., *see* Neuhaus, D.H. (74) 225
- Oh, T.-S., *see* Lee, S.-C. (75) 481
- Ohkawara, G., *see* Yoshino, K. (74) 505
- Ohno, H., *see* Kawamura, H. (75) 613
- Ohshima, T., *see* Dharmarasu, N. (75) 327
- Ohshima, T., *see* Khan, A. (75) 271
- Ohshima, T., *see* Lee, H.-S. (75) 57
- Ohshima, T., *see* Tanaka, T. (75) 109
- Ohshita, M., *see* Kushiya, K. (75) 171
- Ohshita, Y., *see* Khan, A. (75) 271
- Ohshita, Y., T.K. Vu and M. Yamaguchi, Generation of interstitial boron by minority-carrier injection (75) 405
- Ohshita, Y., *see* Fahim, N.F. (75) 411
- Ohta, K., *see* Kashiwaba, Y. (75) 253
- Ohtsubo, Y., *see* Uda, H. (75) 219
- Oka, F., *see* Muramatsu, S.-I. (74) 275
- Okada, H., *see* Lee, H.-S. (75) 57
- Okada, N. and K. Takigawa, A voltage regulation method for dispersed grid-connected PV systems under high-density connection (75) 637
- Okada, N., *see* Ishikawa, T. (75) 529
- Okada, N., *see* Takigawa, K. (75) 547
- Okamoto, H., *see* Nakamura, K. (75) 185
- Okamoto, S., *see* Maruyama, E. (74) 339
- Okamoto, Y., *see* Yamaguchi, T. (75) 597
- Okui, H., *see* Niira, K. (74) 247
- Oldenkamp, H., *see* Faiman, D. (75) 629
- Omura, K., *see* Aramoto, T. (75) 211
- Oozeki, T., T. Izawa, K. Otani and K. Kurokawa, An evaluation method of PV systems (75) 687
- Ose, E., *see* Sinh, N.D. (74) 295
- OBwald, D., *see* Kieliba, T. (74) 261
- Otani, K., *see* Tamura, J. (75) 585
- Otani, K., *see* Oozeki, T. (75) 687
- Ozaki, R., *see* Dhamrin, M. (74) 203

- Pak, J.J., *see* Kang, J. (74) 91
- Park, G.-C., *see* Jeong, W.-J. (75) 93
- Park, I.J., *see* Lee, J.C. (74) 233
- Park, J.-S., *see* Yamamoto, S. (75) 577
- Park, M., *see* Muhida, R. (75) 697
- Park, N.-G., *see* Kang, M.-G. (75) 475
- Park, Y.-J., *see* Kang, M.-G. (75) 475
- Parm, I.O., K. Kim, D.G. Lim, J.H. Lee, J.H. Heo, J. Kim, D.S. Kim, S.H. Lee and J. Yi, High-density inductively coupled plasma chemical vapor deposition of silicon nitride for solar cell application (74) 97
- Parretta, A., P.P. Altermatt and J. Zhao, Transmittance from photovoltaic materials under diffuse light (75) 387
- Parretta, A., *see* Maddalena, P. (75) 397
- Parretta, A., H. Yakubu, F. Ferrazza, P.P. Altermatt, M.A. Green and J. Zhao, Optical loss of photovoltaic modules under diffuse light (75) 497
- Pauli, F., *see* Menna, P. (75) 519
- Peter, K., R. Kopecek, P. Fath, E. Bucher and C. Zahedi, Thin film silicon solar cells on upgraded metallurgical silicon substrates prepared by liquid phase epitaxy (74) 219
- Peters, S., *see* Biro, D. (74) 35
- Pettenkofer, C., *see* Eisele, W. (75) 17
- Polak, M., *see* Katz, E.A. (75) 421
- Powalla, M. and B. Dimmler, Development of large-area CIGS modules (75) 27
- Preu, R., *see* Biro, D. (74) 35
- Rahardjo, S., *see* Hadi, H. (75) 673
- Rath, J.K., *see* Jun, K.H. (74) 357
- Rath, J.K., F.D. Tichelaar and R.E.I. Schropp, Heterogeneous growth of microcrystalline silicon germanium (74) 553
- Ray, S., R. Das and A.K. Barua, Performance of double junction a-Si solar cells by using ZnO:Al films with different electrical and optical properties at the n/metal interface (74) 387
- Ray, S., C. Das, S. Mukhopadhyay and S.C. Saha, Substrate temperature and hydrogen dilution: parameters for amorphous to microcrystalline phase transition in silicon thin films (74) 393
- Reber, S., *see* Kieliba, T. (74) 261
- Rech, B., O. Kluth, T. Repmann, T. Roschek, J. Springer, J. Müller, F. Finger, H. Stiebig and H. Wagner, New materials and deposition techniques for highly efficient silicon thin film solar cells (74) 439
- Rech, B., *see* Brammer, T. (74) 469
- Reetz, W., *see* Brammer, T. (74) 469
- Ren, H.Z., *see* Geng, X.H. (75) 489
- Repmann, T., *see* Rech, B. (74) 439
- Rinke, T.J., *see* Bergmann, R.B. (74) 213
- Roberts, J.S., *see* Bushnell, D.B. (75) 299
- Rohatgi, A., *see* Ebong, A. (74) 51
- Rohatgi, A., V. Yelundur, J. Jeong, A. Ebong, M.D. Rosenblum and J.I. Hanoka, Fundamental understanding and implementation of Al-enhanced PECVD SiN_x hydrogenation in silicon ribbons (74) 117
- Rohatgi, A., *see* Ruby, D.S. (74) 133
- Roschek, T., *see* Rech, B. (74) 439
- Rosenblum, M.D., *see* Rohatgi, A. (74) 117
- Ruby, D., *see* Ebong, A. (74) 51
- Ruby, D.S., S.H. Zaidi, S. Narayanan, B.M. Damiani and A. Rohatgi, Rie-texturing of multicrystalline silicon solar cells (74) 133

- Rumberg, A., A. Gerhard, A. Jäger-Waldau and M.Ch. Lux-Steiner, ZnSe buffer prepared by iodine-enhanced chemical vapour deposition for Cu(In,Ga)(Se,S)₂-based solar cells (75) 1
- Ryu, K.-S., *see* Kang, M.-G. (75) 475
- Saha, S.C., *see* Ray, S. (74) 393
- Saitoh, T., *see* Dhamrin, M. (74) 203
- Saitoh, T., *see* Hashigami, H. (75) 351
- Saitoh, T., *see* Yoshioka, K. (75) 373
- Saitoh, T., *see* Koizumi, K. (75) 623
- Sakuta, K., *see* Sugiura, T. (75) 767
- Sang, B., *see* Nagoya, Y. (75) 163
- Sang, B., *see* Kushiya, K. (75) 171
- Sang, B., Y. Nagoya, K. Kushiya and O. Yamase, MOCVD-ZnO windows for 30 cm × 30 cm CIGS-based modules (75) 179
- Sasaki, K., *see* Yamamoto, S. (75) 577
- Sasaki, T., *see* Muramatsu, S.-I. (74) 275
- Sato, K., *see* Medvedkin, G.A. (75) 127
- Sato, K., *see* Medvedkin, G.A. (75) 135
- Satoh, T., Y. Hashimoto, S. Shimakawa, S. Hayashi and T. Negami, Cu(In,Ga)Se₂ solar cells on stainless steel substrates covered with insulating layers (75) 65
- Satoh, T., *see* Minemoto, T. (75) 121
- Sawada, T., *see* Yamamoto, K. (74) 449
- Scherff, M., *see* Ulyashin, A. (74) 195
- Schindler, R., *see* Biro, D. (74) 35
- Schmid, F., *see* Khattak, C.P. (74) 77
- Schmidt, J., *see* Bergmann, R.B. (74) 213
- Schönecker, A., *see* van der Heide, A.S.H. (74) 43
- Schober, R., *see* Kieliba, T. (74) 261
- Schott, M., *see* Debarge, L. (74) 71
- Schropp, R.E.L., *see* Jun, K.H. (74) 357
- Schropp, R.E.L., *see* Rath, J.K. (74) 553
- Schubert-Bischoff, P., *see* Eisele, W. (75) 17
- Schultz, O., *see* Biro, D. (74) 35
- Seki, A., *see* Yamamoto, A. (75) 451
- Senoussaoui, N., *see* Brammer, T. (74) 469
- Senta, H., *see* Niira, K. (74) 247
- Seol, J.-S., S.-Y. Lee, J.-C. Lee, H.-D. Nam and K.-H. Kim, Electrical and optical properties of Cu₂ZnSnS₄ thin films prepared by rf magnetron sputtering process (75) 155
- Setaka, T., *see* Matsushima, T. (75) 603
- Shah, A., *see* Meier, J. (74) 457
- Shah, A., *see* Feitknecht, L. (74) 539
- Shams-Kolahi, W., *see* Minemoto, T. (75) 121
- Shima, M., *see* Isomura, M. (74) 519
- Shimakawa, S., *see* Satoh, T. (75) 65
- Shimizu, M., *see* Komatsu, Y. (74) 513
- Shimizu, M., *see* Yamamoto, H. (74) 525
- Shinohara, W., *see* Maruyama, E. (74) 339
- Shirai, H., *see* Jung, S. (74) 421
- Shirai, H., *see* Yoshino, K. (74) 505
- Shirasawa, K., *see* Niira, K. (74) 247
- Shtutina, S., *see* Katz, E.A. (75) 421
- Siefer, G., *see* Hein, M. (75) 277


- Sinh, N.D., G. Andrä, F. Falk, E. Ose and J. Bergmann, Optimization of layered laser crystallization for thin-film crystalline silicon solar cells (74) 295
- Sites, J.R., Quantification of losses in thin-film polycrystalline solar cells (75) 243
- Smole, F., *see* Krê, J. (74) 401
- Song, H.K., S.G. Kim, H.J. Kim, S.K. Kim, K.W. Kang, J.C. Lee and K.H. Yoon, Preparation of $\text{CuIn}_{1-x}\text{Ga}_x\text{Se}_2$ thin films by sputtering and selenization process (75) 145
- Song, J., *see* Lee, J.C. (74) 233
- Song, J., *see* Ito, M. (75) 507
- Song, J., *see* Menna, P. (75) 519
- Song, J.S., *see* Lee, D.Y. (75) 73
- Song, W.-C., *see* Lee, J.-H. (75) 227
- Sonomura, H., *see* Uda, H. (75) 219
- Sontag, D., *see* Hahn, G. (74) 57
- Spiegel, M., C. Gerhards, F. Huster, W. Jooss, P. Fath and E. Bucher, Industrially attractive front contact formation methods for mechanically V-textured multicrystalline silicon solar cells (74) 175
- Spiegel, M., *see* Hauser, A. (75) 357
- Springer, J., *see* Rech, B. (74) 439
- Sproul, A.B., *see* Neuhaus, D.H. (74) 225
- Sproul, A.B., *see* Widenborg, P. (74) 305
- Stiebig, H., *see* Brammer, T. (74) 469
- Stiebig, H., *see* Rech, B. (74) 439
- Stolt, L., *see* Kessler, J. (75) 35
- Stolt, L., *see* Wennerberg, J. (75) 47
- Strzhemechny, Y., *see* Katz, E.A. (75) 421
- Suezaki, T., *see* Yamamoto, K. (74) 449
- Sugihara, H., *see* Ito, M. (75) 507
- Sugita, K., *see* Koizumi, K. (75) 623
- Sugiura, T., T. Yamada, H. Nakamura, M. Umeya, K. Sakuta and K. Kurokawa, Measurements, analyses and evaluation of residential PV systems by Japanese monitoring program (75) 767
- Sun, G.C., J.C. Bourgoin, N. de Angelis, M. Yamaguchi, A. Khan, T. Takamoto and O. Gilard, Metastability effects in InGaP solar cells (75) 293
- Suzuki, S., M. Kondo and A. Matsuda, Growth of device grade $\mu\text{c-Si}$ film at over 50 Å/s using PECVD (74) 489
- Suzuki, T., *see* Yamamoto, K. (74) 449
- Szulfcik, J., F. Duerinckx, J. Horzel, E. Van Kerschaver, H. Dekkers, S. De Wolf, P. Choulat, C. Allebe and J. Nijs, High-efficiency low-cost integral screen-printing multicrystalline silicon solar cells (74) 155
- Taberi, M., *see* Yamaguchi, T. (75) 597
- Tachiyuki, M., *see* Kushiya, K. (75) 171
- Taira, S., *see* Isomura, M. (74) 519
- Takaba, Y., *see* Yamamoto, H. (74) 525
- Takagishi, S., *see* Hashimoto, A. (75) 313
- Takahashi, M., *see* Hashimoto, A. (75) 313
- Takahashi, M., *see* Yamaguchi, A. (75) 679
- Takai, M., *see* Miyahara, H. (74) 351
- Takakura, H. and Y. Hamakawa, Device simulation and modeling of microcrystalline silicon solar cells (74) 479
- Takakura, H., *see* Minemoto, T. (75) 121
- Takakura, H., *see* Hiraoka, S. (75) 781
- Takamoto, T., *see* Sun, G.C. (75) 293
- Takamoto, T., *see* Dharmarasu, N. (75) 327

- Takata, H., *see* Yamamoto, K. (74) 449
- Takata, M., *see* Yamamoto, S. (75) 577
- Takeda, K., *see* Murata, K. (75) 647
- Takeuchi, A., *see* Azuma, H. (74) 289
- Takeuchi, K., M. Ichimura, E. Arai and Y. Yamazaki, SnS thin films fabricated by pulsed and normal electrochemical deposition (75) 427
- Takigawa, K., *see* Ishikawa, T. (75) 529
- Takigawa, K., N. Okada, N. Kuwabara, A. Kitamura and F. Yamamoto, Development and performance test of smart power conditioner for value-added PV application (75) 547
- Takigawa, K., *see* Okada, N. (75) 637
- Takiguchi, H., *see* Komatsu, Y. (74) 513
- Takiguchi, H., *see* Yamamoto, H. (74) 525
- Tamura, J., K. Kurokawa and K. Otani, Estimation of hourly in-plane irradiation by using minutely horizontal data (75) 585
- Tamura, Y., *see* Endo, E. (75) 751
- Tanabe, T., *see* Hashimoto, A. (75) 313
- Tanaka, M., *see* Maruyama, E. (74) 339
- Tanaka, M., *see* Isomura, M. (74) 519
- Tanaka, M., *see* Murata, K. (75) 647
- Tanaka, M., *see* Yagi, Y. (75) 655
- Tanaka, S., *see* Hashimoto, A. (75) 313
- Tanaka, T., T. Yamaguchi, T. Ohshima, H. Itoh, A. Wakahara and A. Yoshida, Effect of Cl ion implantation on electrical properties of CuInSe₂ thin films (75) 109
- Tanaka, T., T. Yamaguchi, A. Wakahara, A. Yoshida, R. Taniguchi, Y. Matsuda and M. Fujishiro, Effect of 8 MeV electron irradiation on electrical properties of CuInSe₂ thin films (75) 115
- Tanaka, T., *see* Yagi, Y. (75) 655
- Tanaka, Y., *see* Kushiya, K. (75) 171
- Taniguchi, H., *see* Komatsu, Y. (74) 513
- Taniguchi, R., *see* Tanaka, T. (75) 115
- Tawada, Y., *see* Yamamoto, K. (74) 449
- Tazawa, M., *see* Xu, G. (74) 267
- Terakawa, A., *see* Maruyama, E. (74) 339
- Terukov, E.I., *see* Medvedkin, G.A. (75) 127
- Tichelaar, F.D., *see* Rath, J.K. (74) 553
- Tokita, Y., S. Chaisitsak, A. Yamada and M. Konagai, High-efficiency Cu(In,Ga)Se₂ thin-film solar cells with a novel In(OH)₃:Zn²⁺ buffer layer (75) 9
- Tokuda, S., *see* Hadi, H. (75) 673
- Tokunaga, S., *see* Fujita, R. (75) 319
- Topić, M., *see* Krč, J. (74) 401
- Torres, P., *see* Feitknecht, L. (74) 539
- Tortora, P., *see* Maddalena, P. (75) 397
- Toyama, T., *see* Nakamura, K. (75) 185
- Tsutsui, K., *see* Uematsu, T. (75) 557
- Tsuyoshi, A., *see* Muhida, R. (75) 697
- Tuladhar, S.M., *see* Katz, E.A. (75) 421
- Uchida, K., *see* Masuda, A. (74) 373
- Uda, H., H. Yonezawa, Y. Ohtsubo, M. Kosaka and H. Sonomura, Thin CdS films prepared by metalorganic chemical vapor deposition (75) 219
- Uematsu, T., K. Tsutsui, Y. Yazawa, T. Warabisako, I. Araki, Y. Eguchi and T. Joge, Development of bifacial PV cells for new applications of flat-plate modules (75) 557
- Ueyama, H., *see* Yoshino, K. (74) 505

- Ulyashin, A., M. Scherff, R. Hussein, M. Gao, R. Job and W.R. Fahrner, Comparison of multicrystalline silicon surfaces after wet chemical etching and hydrogen plasma treatment: application to heterojunction solar cells (74) 195
- Umeya, M., *see* Sugiyura, T. (75) 767
- Uno, T., *see* Yamaguchi, A. (75) 679
- Uraoka, Y., *see* Ishikawa, Y. (74) 255
- Uraoka, Y., *see* Yamamoto, Y. (75) 433
- Uraoka, Y., *see* Nishioka, K. (75) 665
- Vallat-Sauvain, E., *see* Meier, J. (74) 457
- van der Heide, A.S.H., J.H. Bultman, J. Hoornstra and A. Schönecker, Error diagnosis and optimisation of c-Si solar cell processing using contact resistances determined with the Corescanner (74) 43
- Van Kerschaver, E., *see* Szlufcik, J. (74) 155
- Vetterli, O., *see* Brammer, T. (74) 469
- Vu, T.K., *see* Ohshita, Y. (75) 405
- Wada, T., M. Kondo and A. Matsuda, Improvement of V_{oc} using carbon added microcrystalline Si p-layer in microcrystalline Si solar cells (74) 533
- Wagner, H., *see* Lundszen, D. (74) 365
- Wagner, H., *see* Rech, B. (74) 439
- Wagner, H., *see* Brammer, T. (74) 469
- Wakahara, A., *see* Lee, H.-S. (75) 57
- Wakahara, A., *see* Tanaka, T. (75) 109
- Wakahara, A., *see* Tanaka, T. (75) 115
- Waki, M., *see* Yagi, Y. (75) 655
- Wakisaka, K., *see* Isomura, M. (74) 519
- Wang, A., *see* Altermatt, P.P. (74) 165
- Wang, Q.Z., *see* Geng, X.H. (75) 489
- Wang, Z.P., *see* Geng, X.H. (75) 489
- Warabisako, T., *see* Uematsu, T. (75) 557
- Watanabe, M., *see* Nishioka, K. (75) 665
- Wennergberg, J., *see* Kessler, J. (75) 35
- Wennergberg, J., J. Kessler and L. Stolt, Cu(In,Ga)Se₂-based thin-film photovoltaic modules optimized for long-term performance (75) 47
- Wennergberg, J., *see* Brogren, M. (75) 567
- Werner, J.H., *see* Bergmann, R.B. (74) 213
- Widenborg, P., *see* Neuhaus, D.H. (74) 225
- Widenborg, P., D.-H. Neuhaus, P. Campbell, A.B. Sproul and A.G. Aberle, Back electrode formation for poly-Si thin film solar cells on glass having AIC-grown seeding layer (74) 305
- Willeke, G., *see* Goetzberger, A. (74) 1
- Willeke, G., *see* Biro, D. (74) 35
- Willeke, G., *see* Kieliba, T. (74) 261
- Woodall, J.M., *see* Li, G. (75) 307
- Xia, J., *see* Cho, E.-C. (74) 147
- Xu, G., P. Jin, K. Yoshimura and M. Tazawa, Optical confinement of the intermediate layer between Si and alumina substrate in thin film Si solar cells (74) 267
- Xue, J.M., *see* Geng, X.H. (75) 489
- Yagi, Y., H. Kishi, R. Hagihara, T. Tanaka, S. Kozuma, T. Ishida, M. Waki, M. Tanaka and S. Kiyama, Diagnostic technology and an expert system for photovoltaic systems using the learning method (75) 655

- Yagiura, T., *see* Murata, K. (75) 647
- Yakubu, H., *see* Parretta, A. (75) 497
- Yamada, A., *see* Fujisaki, T. (74) 331
- Yamada, A., *see* Tokita, Y. (75) 9
- Yamada, T., *see* Sugiura, T. (75) 767
- Yamaguchi, A., K. Kurokawa, T. Uno and M. Takahashi, Reflection and absorption characteristics of electromagnetic waves for PV modules (75) 679
- Yamaguchi, M., *see* Azuma, H. (74) 289
- Yamaguchi, M., III-V compound multi-junction solar cells: present and future (75) 261
- Yamaguchi, M., *see* Khan, A. (75) 271
- Yamaguchi, M., A. Khan and N. Dharmarasu, Analysis for superior radiation resistance of InP-based solar cells (75) 285
- Yamaguchi, M., *see* Sun, G.C. (75) 293
- Yamaguchi, M., *see* Araki, K. (75) 457
- Yamaguchi, M., *see* Araki, K. (75) 467
- Yamaguchi, M., *see* Araki, K. (75) 707
- Yamaguchi, M., *see* Araki, K. (75) 715
- Yamaguchi, M., *see* Dharmarasu, N. (75) 327
- Yamaguchi, M., *see* Fahim, N.F. (75) 411
- Yamaguchi, M., *see* Narayanan, K.L. (75) 345
- Yamaguchi, M., *see* Ohshita, Y. (75) 405
- Yamaguchi, T., T. Kobata, S. Niiyama, T. Nakamura and A. Yoshida, Thin films of Cu(In,Ga)Se₂ and ordered vacancy compound prepared by thermal crystallization and their photovoltaic applications (75) 87
- Yamaguchi, T., *see* Tanaka, T. (75) 109
- Yamaguchi, T., *see* Tanaka, T. (75) 115
- Yamaguchi, T., Y. Okamoto and M. Taberi, Investigation on abundant photovoltaic power generated by 40 kW PV system in Wakayama National College of Technology (75) 597
- Yamamoto, A., *see* Nakamura, S. (75) 81
- Yamamoto, A., *see* Hashimoto, A. (75) 313
- Yamamoto, A., M. Nakamura, A. Seki, E.L. Li, A. Hashimoto and S. Nakamura, Pyrite (FeS₂) thin films prepared by spray method using FeSO₄ and (NH₄)₂S_x (75) 451
- Yamamoto, F., *see* Takigawa, K. (75) 547
- Yamamoto, H., Y. Takaba, Y. Komatsu, M.-J. Yang, T. Hayakawa, M. Shimizu and H. Takiguchi, High-efficiency μ c-Si c-Si heterojunction solar cells (74) 525
- Yamamoto, K., M. Yoshimi, Y. Tawada, S. Fukuda, T. Sawada, T. Meguro, H. Takata, T. Suezaki, Y. Koi, K. Hayashi, T. Suzuki, M. Ichikawa and A. Nakajima, Large area thin film Si module (74) 449
- Yamamoto, S., J.-S. Park, M. Takata, K. Sasaki and T. Hashimoto, Basic study on the prediction of solar irradiation and its application to photovoltaic-diesel hybrid generation system (75) 577
- Yamamoto, Y., *see* Ishikawa, Y. (74) 255
- Yamamoto, Y., Y. Ishikawa, T. Hatayama, Y. Uraoka and T. Fuyuki, Numerical analysis of bulk diffusion length in thin-film c-Si solar cells (75) 433
- Yamanaka, S., *see* Kawamura, H. (75) 613
- Yamase, O., *see* Kushiya, K. (75) 171
- Yamase, O., *see* Nagoya, Y. (75) 163
- Yamase, O., *see* Sang, B. (75) 179
- Yamazaki, Y., *see* Takeuchi, K. (75) 427
- Yan, Z., *see* Li, G. (75) 307
- Yang, M.-J., *see* Komatsu, Y. (74) 513
- Yang, M.-J., *see* Yamamoto, H. (74) 525
- Yang, Q., *see* Li, G. (75) 307

- Yano, K., *see* Komatsu, Y. (74) 513
- Yazawa, Y., *see* Muramatsu, S.-I. (74) 275
- Yazawa, Y., *see* Minagawa, Y. (74) 283
- Yazawa, Y., *see* Uematsu, T. (75) 557
- Yelundur, V., *see* Rohatgi, A. (74) 117
- Yi, J., *see* Parm, I.O. (74) 97
- Yi, J.-S., *see* Lee, J.-H. (75) 227
- Yi, J.-S., *see* Lee, J.-H. (75) 235
- Yonekura, N., *see* Kawamura, H. (75) 613
- Yonezawa, H., *see* Uda, H. (75) 219
- Yoo, Y.-S., *see* Lee, J.-H. (75) 227
- Yoon, K.H., *see* Lee, J.C. (74) 233
- Yoon, K.H., *see* Ahn, J.H. (74) 315
- Yoon, K.H., *see* Lee, D.Y. (75) 73
- Yoon, K.H., *see* Song, H.K. (75) 145
- Yoshida, A., *see* Lee, H.-S. (75) 57
- Yoshida, A., *see* Yamaguchi, T. (75) 87
- Yoshida, A., *see* Tanaka, T. (75) 109
- Yoshida, A., *see* Tanaka, T. (75) 115
- Yoshida, K., *see* Komatsu, Y. (74) 513
- Yoshida, N., *see* Kunii, T. (74) 415
- Yoshimi, M., *see* Yamamoto, K. (74) 449
- Yoshimura, K., *see* Xu, G. (74) 267
- Yoshino, K., G. Ohkawara, H. Ueyama and H. Shirai, Fast deposition of microcrystalline silicon films with preferred (220) crystallographic texture using the high-density microwave plasma (74) 505
- Yoshioka, K., K. Koizumi and T. Saitoh, Simulation and fabrication of flat-plate concentrator modules (75) 373
- Yoshioka, K., *see* Koizumi, K. (75) 623
- You, J., *see* Kang, J. (74) 91
- Yun, J.H., K.H. Kim, D.Y. Lee and B.T. Ahn, Back contact formation using Cu₂Te as a Cu-doping source and as an electrode in CdTe solar cells (75) 203
- Zahedi, C., *see* Peter, K. (74) 219
- Zaidi, S.H., *see* Ruby, D.S. (74) 133
- Zeman, M., *see* Krč, J. (74) 401
- Zhang, S., *see* Li, G. (75) 307
- Zhao, J., *see* Altermatt, P.P. (74) 165
- Zhao, J., *see* Maddalena, P. (75) 397
- Zhao, J., *see* Parretta, A. (75) 387
- Zhao, J., *see* Parretta, A. (75) 497
- Zickermann, D., *see* Biro, D. (74) 35
- Zürcher, J., *see* Feitknecht, L. (74) 539
- Zweigart, S., *see* Eisele, W. (75) 17
- Zweigart, S., *see* Bär, M. (75) 101





ELSEVIER

Solar Energy Materials & Solar Cells 75 (2003) 807-814

**Solar Energy Materials
& Solar Cells**

www.elsevier.com/locate/solmat

Subject index to volumes 74 + 75

- | | | | |
|-----------------------------------|-------------------------|--|---------------|
| Absorption characteristic | (75) 679 | Base fraction | (75) 439 |
| Absorption coefficient | (74) 519 | Baseline | (75) 35 |
| AC modules | (75) 629 | Bifacial cell | (75) 557 |
| Active power control | (75) 529 | Bifacial module | (75) 557 |
| Added value | (75) 679 | Binary selenide | (75) 73 |
| AIC | (74) 305 | Blistering | (75) 357 |
| AI-induced crystallization (AIC) | (74) 323 | B ₂ H ₆ doping | (74) 421 |
| AlCl ₃ vapor | (74) 315 | B-O defect | (75) 405 |
| All-silicon tandem cell | (74) 147 | Boittom cell | (74) 479 |
| Alternative buffer | (75) 1 | Boron diffusion | (75) 557 |
| Ammonia plasma activation | (75) 357 | BSF layer | (75) 557 |
| Amorphous carbon | (75) 411 | Buffer free | (75) 101 |
| Amorphous silicon solar cells | (74) 401 | Buffer | (74) 365 |
| Amorphous silicon | (74) 339, 351, 393, 479 | Building integration | (74) 127 |
| Amorphous silicon | (75) 647 | Building integration | (75) 567, 761 |
| Analysis and evaluation | (75) 767 | Buried contact | (74) 175 |
| Annealing | (75) 285 | | |
| Annual output | (75) 665 | | |
| Application | (75) 27 | Cadmium sulfide | (75) 235 |
| AR coating | (74) 147 | Cadmium telluride | (75) 211, 235 |
| Ar-dilution | (74) 407 | Cadmium zinc sulfide | (75) 227 |
| Array simulator | (75) 537 | Carbon based materials | (75) 345 |
| A-SiC _x :H alloy films | 379 | Carbon | (74) 533 |
| a-SiGe:H | (74) 365 | Carbon | (75) 211 |
| a-Si solar cells | (74) 387 | Carrier lifetime | (74) 203 |
| A-Si | (74) 439 | Carrier removal effect | (75) 271 |
| a-Si | (74) 513 | Carrier removal rate | (75) 57 |
| a-Si:H | (74) 365 | Cat-CVD | (74) 247 |
| a-Si:H:(Cl) | (74) 429 | Catalytic chemical vapor deposition | (74) 373 |
| Atmospheric | (75) 211 | Cathode heating | (74) 351 |
| Atomic hydrogen | (74) 373 | CBD CdS | (75) 193 |
| Automatic voltage control unit | (75) 529 | CBD-Zn(O,S,OH) _x buffer | (75) 171 |
| Avalanche breakdown voltage | (75) 613 | CdS homojunction | (75) 253 |
| | | CdS | (75) 185, 219 |
| B-doping | (74) 379 | CdS CdTe solar cell | (75) 193 |
| Back contact | (74) 139 | CdTe solar cell | (75) 203 |
| Back electrode | (74) 305 | CdTe | (75) 185, 243 |
| Back surface field (BSF) | (74) 323 | CdTe _{1-x} S _x mixed-crystal layer | (75) 185 |
| Band-gap energy | (75) 285 | Ceramic substrates | (74) 261 |
| Bandgap profiling | (74) 365 | Chalcopyrite crystals | (75) 135 |
| Barrier | (74) 139 | Chalcopyrite semiconductor | (75) 127 |
| | | Chalcopyrite | (75) 1 |

- Chamber cleaning (74) 373
 Chemical bath deposition (75) 9, 17
 Chemical vapor deposition (74) 255
 Chromatic aberration (75) 467
 CIGS (75) 27, 35, 47, 179
 CIGS-based submodules (75) 163
 CIGSS (75) 1
 Cl doping (75) 109
 Clean energy revolution (74) 13
 Clearness index (75) 585
 Closed-chamber plasma (74) 539
 Coherent light (74) 401
 Compensating centers (75) 271
 Computer modeling (75) 489
 Computer simulation (75) 307
 Concentrating solar module (75) 603
 Concentrator cell (75) 277
 Concentrator PV (75) 707, 715
 Concentrator system (75) 277
 Concentrator (75) 261, 363, 467, 623
 Conduction band offset (75) 121
 Contact grid (75) 381
 Contact resistance (74) 43, 91
 Contact (74) 65
 Conversion efficiency (75) 665
 Cost reduction (75) 729
 Cost-effectiveness analysis (75) 751
 Cost-efficiency (75) 751
 CPC (75) 277
 Criteria (75) 655
 Crystalline silicon thin-film (74) 295
 Crystalline silicon (74) 1, 155, 261
 Crystalline thin film cells (74) 1
 Crystalline (74) 289
 Crystallinity (74) 255
 Crystallinity (75) 185
 Crystallites (75) 243
 Crystallization (74) 283, 315
 Crystallographic orientation (74) 225
 CSS (75) 211
 Cu metallization (74) 91
 Cu source (75) 203
 Cu(In,Ga)(S,Se)₂ (75) 101
 Cu(In,Ga)Se₂ thin film (75) 65
 Cu(In,Ga)Se₂ (75) 567
 Cu(In,Ga)Se₂ (75) 47, 73, 87
 Cu(InGa)Se₂ (75) 9, 35, 121
 Cu(InGa)Se₂-based chalcopyrite material (75) 171
 Cu₂Te (75) 203
 CuGaS₂ (75) 93
 CuIn_{1-x}Ga_xSe₂ (75) 145, 243
 CuInS₂ (75) 81
 CuInSe₂ (CIS) (75) 57
 CuInS₂ (75) 109, 115
 Cumulative output (75) 665
 Cu-In precursor (75) 81
 Current measurements (75) 397
 Curve fitting (75) 457
 CVD (74) 97
 CVD (75) 1, 433
 Cycloolefin copolymer (74) 547
 Czochralski silicon (74) 25
 Czochralski silicon (75) 351
 Damage coefficient (75) 285
 Damp heating (75) 127
 Dangling bonds (75) 411
 DC magnetron sputtering (75) 145
 DC-DC converter (75) 697
 Deep-level defects (75) 327
 Defects (75) 351
 Degradation (75) 319, 351
 Deposition (74) 233
 Desert (75) 507
 Design parameter method (75) 767
 Design rule (75) 439
 Device modeling (74) 213
 Device simulation (74) 479
 Diagnosis (75) 613
 Diagnostic technology (75) 655
 Dichlorosilane (74) 255
 Diesel (75) 577
 Diffuse light (75) 387, 497
 Diffusion length (74) 57, 213
 Diffusion (74) 139
 Diffusion (75) 227, 421
 Diode ideality factor (75) 457, 467
 Diodes (75) 243
 Direct-coupled PV system (75) 723
 Directional solidification (74) 77
 Distributed Bragg reflector (DBR) (75) 299
 Distribution system (75) 637
 Distribution (74) 183
 Dopant species (75) 271
 Doping (75) 421
 2-D simulation (74) 331
 DX center (75) 293
 Dye sensitization (75) 475
 EBEP-CVD (74) 561
 Ecological sustainability (75) 761
 Economic analysis (75) 507
 Economic impact (75) 519
 Economy (75) 761
 Edge recombination (75) 381

- | | | | |
|---------------------------------------|----------|--|--------------------|
| EFG | (74) 57 | GaInAsN layers | (75) 313 |
| Electrical property | (75) 115 | GaInP/GaInAs | (75) 277 |
| Electrochemical deposition | (75) 427 | Germanium | (74) 339 |
| Electrode distance | (74) 351 | Grain boundary | (74) 183, 331, 479 |
| Electrodeposition | (75) 81 | Grain boundary | (75) 489 |
| Electroless plated Ni | (74) 65 | Grid-connected PV system | (75) 529 |
| Electromagnetic cast | (74) 203 | Grid-connected PV systems | (75) 637 |
| Electromagnetic wave | (75) 679 | Grid-connected system | (75) 547 |
| Electron localization | (75) 335 | Gridded module | (75) 47 |
| Electron paramagnetic resonance (EPR) | (75) 135 | Growth temperature | (75) 235 |
| Electron spin resonance (ESR) | (75) 411 | | |
| Electroplated Cu | (74) 65 | Hall measurement | (75) 451 |
| Emitter-wrap-through | (74) 139 | Heat Exchanger method | (74) 77 |
| Encapsulants | (75) 387 | Heat treatment | (75) 227 |
| End of life performance | (75) 271 | Heat-flow simulation | (74) 289 |
| Energy pay-back | (75) 507 | Heterojunction solar cell | (74) 525 |
| Environment effect | (75) 507 | Heterojunction solar cells | (74) 195 |
| Environmental issue | (74) 13 | High conversion efficiency | (75) 261 |
| Equivalent circuit | (75) 457 | High deposition rate | (74) 407 |
| Estimation model | (75) 585 | High efficiency | (74) 25, 91 |
| Etch pits | (74) 91 | High power/weight ratio | (75) 307 |
| 3E-Trilemma | (74) 13 | High rate | (74) 439 |
| Evaluation method | (75) 687 | High-density connection | (75) 637 |
| Evaluation | (75) 687 | High-density plasma | (74) 505 |
| Evaporation | (75) 73 | High-pressure depletion | (74) 489 |
| Excimer laser | (74) 289 | High-rate deposition | (74) 339 |
| Experiment | (75) 679 | High-rate growth | (74) 489 |
| Experimental | (74) 469 | Higher silane-related-reactive species | (74) 351 |
| Expert system | (75) 655 | HK PV consortium | (75) 739 |
| Extreme radiation hardness | (75) 307 | HK schools solar education programme | (75) 739 |
| | | Horizontal irradiance | (75) 585 |
| Fast deposition | (74) 505 | Hot-wire chemical vapor deposition | (74) 373 |
| Fe-B pairs | (74) 203 | Hot-wire CVD | (74) 233, 379 |
| Feedstock | (74) 219 | Hybrid junction | (74) 513 |
| FeSO ₄ | (75) 451 | Hybrid PV system | (75) 781 |
| Field effect | (75) 335 | Hybrid solar cell | (74) 513, 525 |
| Field test | (75) 687 | Hybrid system | (75) 577 |
| Fire resistance | (75) 647 | Hydrogen energy | (75) 697 |
| Firing | (74) 43 | Hydrogen passivation | (74) 117, 203 |
| Fixed charges | (75) 335 | Hydrogen radical | (74) 379 |
| Flat-plate concentrator | (75) 373 | Hydrogen | (74) 57 |
| Flat-plate module | (75) 557 | Hydrogen | (75) 357 |
| Flexible solar cell | (75) 65 | Hydrogenated amorphous silicon | (74) 373 |
| Fluence | (75) 319 | Hydrogenated microcrystalline silicon | |
| Flux distribution | (75) 467 | films | (74) 415 |
| FTIR-RAS | (74) 421 | Hydrogenated microcrystalline silicon | (74) 457 |
| Fullerene | (75) 421 | Hydrogenation | (74) 195, 225 |
| Fuzzy logic controller | (75) 723 | | |
| | | Ideality factor | (74) 165 |
| Ga doping | (74) 25 | III-V multi-junction cell | (75) 467 |
| Ga-doped ZnO | (75) 163 | III-V multi-junction cells | (75) 707 |
| GaAs | (75) 277 | ILGAR (ion layer gas reaction) | (75) 101 |
| GaAsP | (75) 299 | Implemented PV system | (75) 723 |

- | | | | |
|---------------------------------------|-------------------------|--|-------------------------|
| In(OH) ₂ :Zn ²⁺ | (75) 9 | Low temperature | (74) 497 |
| In-plane irradiation | (75) 585 | LP-CVD ZnO | (74) 457 |
| Incubation layers | (74) 539 | LPE | (74) 219 |
| Indium doping | (75) 227 | Luminescence | (75) 363 |
| Indium-tin oxide | (75) 193 | | |
| InGaAs | (75) 299 | Maintenance | (75) 655 |
| InGaP | (75) 261, 261 | Majority carrier | (74) 57 |
| Ingap | (75) 293 | Manufacturing and processing | (74) 35, 155 |
| InP solar cell | (75) 307 | Manufacturing initiative | (75) 519 |
| InP-related materials | (75) 285 | Manufacturing | (74) 127 |
| Insulating layer | (75) 65 | Manufacturing | (75) 27 |
| Integrating sphere | (75) 397 | Mass-production apparatus | (74) 373 |
| Integrating spheres | (75) 387, 497 | Maximum current controller | (75) 697 |
| Inter-layer | (74) 513 | Maximum power point (MPP) | (75) 673 |
| Interdigitated structure | (75) 439 | Maximum power point tracking | |
| Interface | (75) 185 | (MPPT) | (75) 697 |
| Interfacial Al oxide | (74) 323 | Maximum-power point tracking | (75) 723 |
| Internal spectral response | (75) 397 | mc-Si | (74) 513 |
| Intrinsic ZnO | (75) 163 | µc-Si | (74) 439, 489, 525 |
| I-V characteristics | (74) 449 | µc-Si:H solar cell | (74) 497 |
| I-V characteristics | (75) 613 | µc-Si:H | (74) 379, 421, 505, 539 |
| I-V curve | (75) 537 | Mechanical texturisation | (74) 175 |
| Inverter conversion efficiency | (75) 655 | Metallisation | (74) 43 |
| Inverter | (75) 537 | Metallization | (74) 65 |
| Inverters | (75) 629 | Metallurgical grade silicon | (74) 77 |
| Ion implantation | (75) 109, 345, 411 | Metalorganic chemical vapor deposition | (75) 219 |
| Ion-assisted deposition | (74) 225 | Metastability | (75) 293 |
| Iron pyrite (FeS ₂) | (75) 451 | Meteorological data | (75) 623 |
| Iron | (74) 183 | MIC | (74) 275 |
| Irradiance | (75) 537, 603 | Microcrystalline Si solar cell | (74) 479 |
| Irradiation | (75) 665 | Microcrystalline Si | (74) 469 |
| Irradiation-induced defect | (75) 57 | Microcrystalline silicon | (74) 393, 533, 547 |
| | | Microcrystalline | (74) 553 |
| Japanese monitoring program | (75) 767 | Microcrystallization | (74) 407 |
| Job creation | (75) 519 | Microdefects | (75) 127 |
| | | Microwave detected photo-conductivity | |
| Laser annealing | (74) 289 | decay | (74) 203 |
| Laser crystallization | (74) 295 | MILC | (74) 283 |
| Laser-induced epitaxy | (74) 295 | Mini-modules | (75) 35 |
| Lattice constant | (75) 93 | Minority carrier diffusion length | (75) 433 |
| LBIC | (75) 433 | Minority carrier | (74) 57 |
| Learning method | (75) 655 | Minutely measured irradiance | (75) 585 |
| Lifetime | (74) 57, 183 | MIS contacts | (74) 25 |
| Light degradation | (75) 405 | Mobility | (74) 57 |
| Light scattering | (74) 401, 469 | Mobility | (75) 93 |
| Light soaking effect | (75) 9 | MOCVD | (75) 179 |
| Light trapping | (74) 213, 439, 469, 513 | Modelling | (75) 363 |
| Light-trapping type | (75) 623 | Module design | (75) 35, 47, 567 |
| Light-trapping | (74) 457 | Module temperature | (75) 597, 665 |
| Liquid phase epitaxy | (74) 219 | Module | (75) 647 |
| Localized state | (74) 415 | Monitoring | (75) 687 |
| Losses | (75) 687 | Monolithic thin-film solar module | (75) 171 |
| Low earth orbit | (75) 319 | Monthly output energy | (75) 781 |

- Morocco (75) 519
 Morphology (75) 81, 427
 MPPT (75) 537
 Multi-junction solar cells (75) 261
 Multi-quantum well (MQW) (75) 299
 Multicrystalline silicon cells (74) 133
 Multicrystalline silicon solar cell (74) 175
 Multicrystalline silicon (74) 107, 117, 183, 195
 Multicrystalline (74) 57, 127, 139
 Multilayer (74) 357
 Multiple quantum wells (74) 147

 New materials and concepts (74) 1
 New sunshine project (74) 13
 (New-) sunshine program (75) 751
 $(\text{NH}_4)_2\text{S}_x$ (75) 451
 Ni (74) 275, 283
 Normal direct irradiance (NDI) (75) 715

 Oblique evaporation (74) 25
 OECO technology (74) 25
 Ohmic contact (75) 211
 One-axis tracking (75) 277
 Operation characteristic (75) 529
 Operation time (75) 665
 Optical absorption (74) 415
 Optical confinement structure (75) 489
 Optical confinement (74) 267
 Optical emission spectroscopy OES (74) 539
 Optical losses (75) 397, 497
 Optical modelling (74) 401
 Optical optimization (74) 267
 Optics (74) 469
 Optimal refractive index (74) 97
 Optimum design (74) 479
 Ordered vacancy compound (75) 87
 Out-diffusion (74) 71
 Output power (75) 603
 Oxygen-related donor (74) 497

 p^+ contact (75) 203
 p-layer (74) 429, 533
 p-type Cu-doped CdS (75) 253
 Parabolic concentrators (75) 567
 Parabolic trough (75) 277
 Parameter analysis method (75) 687
 PECVD SiN (75) 357
 PECVD (74) 247, 357, 439
 Performance index (75) 373
 Phase transition (74) 393
 Phosphorous and boron gettering (74) 203
 Photo-EPR (75) 135
 Photoluminescence (PL) (75) 135
 Photons (75) 243
 Photothermal spectroscopy (74) 415
 Photovoltaic module (75) 679
 Photovoltaic power (75) 597
 Photovoltaic system (75) 537, 655, 687
 Photovoltaic systems (75) 761
 Photovoltaic (75) 577, 665, 687, 697
 Photovoltaics (74) 77
 Photovoltaics (75) 519
 PI controller (75) 723
 Piston pump (75) 673
 Plasma chemical deposition (74) 449
 Plasma CVD (74) 519
 Plasma enhanced chemical vapor de-
 position (PE CVD) (74) 295
 Plasma etching (74) 133
 Plasma texturing (74) 133
 Plasma (74) 97
 Plasma-enhanced chemical vapor de-
 position (74) 393, 489
 p-i-n-type (74) 429
 p-n junction (74) 165
 Point defects and defect pairs (75) 135
 Point defects (75) 127
 Policy (75) 761
 Poly Si and c-Si-based PV array perfor-
 mance (75) 781
 Poly-Si thin film (74) 315
 Poly-Si (74) 247, 305
 Poly-silicon (75) 489
 Polycrystalline silicon (74) 255, 275, 331
 Polycrystalline thin film (75) 219
 Polycrystalline (74) 233
 Polycrystalline (75) 93
 Polymer (74) 547
 Power (75) 319
 Prediction (75) 577
 Process control (74) 43
 Process control (75) 171
 Process development (75) 27
 Promotion program (75) 729
 Proton irradiation (75) 57
 Pulse (75) 427
 PV HKU research group (75) 739
 PV industry (75) 729
 PV market (75) 729
 PV module (75) 613
 PV modules (75) 387, 497
 PV system (74) 13
 PV system (75) 507, 597
 PV systems (75) 629, 729
 PV tile (75) 647

- Quantum dots (QDs) (75) 363
- Quantum efficiency (75) 1
- QW (74) 147
- R&D planning (75) 751
- Radiation damage (75) 115, 271, 285
- Radiation (75) 319, 327
- Radiative transfer (75) 363
- Raman characterization (75) 313
- Raman spectroscopy (74) 393, 519
- Rapid thermal process (74) 71
- Rapid thermal processing (74) 35, 51
- Ray tracing (75) 673
- Re-absorption (75) 363
- Reactive power and harmonics compensation (75) 547
- Reactive power control (75) 529, 637
- Rear reflector (75) 373
- Recombination loss (74) 479
- Red shift (75) 363
- Refining (74) 77
- Reflectance (75) 497
- Reflection coefficient (75) 679
- Reflector (75) 603
- Renewable energy (74) 13
- Reproducibility (75) 171
- Residential PV systems (75) 767
- Resistivity (75) 93
- Resonant photothermal bending spectroscopy (74) 415
- RGS (74) 57
- RHEED (74) 525
- Ribbon (74) 57
- RIE (74) 247
- Roller-printing (74) 175
- Roofing material (75) 647
- Rotational solidification method (74) 513
- Rough interfaces (74) 401
- Scattered component ratio (75) 585
- Scattered sun light (75) 781
- School BEMS (75) 739
- School BIPV (75) 739
- Screen printing (74) 35, 43, 71, 139
- Screen-printing (74) 51
- Second stage concentrator (75) 277
- Seed layer (74) 323
- Segregation (74) 183
- Selective emitter (74) 71
- Selenization (75) 145
- Selenization/sulfurization (75) 171
- Series resistance (74) 43
- Series resistance (75) 457
- Shading losses (75) 381
- Shadow (75) 613
- Shadowing fraction (75) 439
- Sheet substrate (74) 513
- Short-circuit current (75) 603
- Si film (74) 283
- Si nitride (74) 25
- Si solar cells (74) 267
- Si solar cells (75) 271
- Si (74) 213
- SiCl₄ (74) 421
- SiH₂Cl₂ (74) 421, 429
- Silicon carbide (74) 561
- Silicon film (74) 289
- Silicon films (74) 233
- Silicon germanium (74) 357, 553
- Silicon nitride films (74) 97
- Silicon nitride (74) 117
- Silicon solar cells (74) 35, 133
- Silicon thin-film solar cells (74) 295
- Silicon (74) 51, 57, 91, 127, 139, 147, 219, 439
- Silicon germanium (74) 519
- SIMS (74) 183
- Simulation (74) 165
- Simulation (75) 679
- Single phase (75) 93
- Single-crystalline Si (75) 433
- Smoothing fluctuation of PV output and demand load (75) 547
- Smoothing (75) 547
- SnS (75) 427
- SOI (75) 439
- Solar activity (75) 319
- Solar cell efficiency prediction (74) 1
- Solar cell (74) 51, 65, 117, 139, 183, 289, 305, 331, 449, 489, 519, 533, 547, 553
- Solar cell (75) 57, 87, 109, 115, 293, 351, 665
- Solar cells (74) 25, 91, 127, 155, 213, 233, 339, 373, 469, 539
- Solar cells (75) 17, 227, 235, 345, 397, 421, 647
- Solar generator efficiency (75) 673
- Solar grade silicon (74) 77
- Solar irradiation (75) 577
- Solar module (74) 449
- Solar panel (75) 603
- Solar radiation (75) 597
- Sol-gel (75) 481
- Solid polymer electrolysis (SPE) (75) 697

- | | | | |
|---|------------------|---|--------------------------|
| Space solar cells | (75) 285 | Thin film solar cells | (74) 365 |
| Spatial standing wave method | (75) 679 | Thin film solar cells | (75) 73 |
| SPE characteristics | (75) 697 | Thin film | (74) 219, 267, 275, 305, |
| Spectrum matching | (75) 707 | | 331, 469, 519 |
| Spectrum | (75) 715 | Thin film | (75) 109, 115, 307, 489 |
| Spoke antenna | (74) 505 | Thin films | (75) 243, 421 |
| Spray method | (75) 451 | Thin-film photovoltaic cells | (75) 253 |
| Sputtering | (74) 439 | Thin-film silicon | (74) 225, 457, 539 |
| Stability | (75) 47 | Thin-film solar cell | (75) 433 |
| Stacked solar cells | (75) 489 | Thin-film solar cells | (74) 261 |
| Stacked structure | (74) 519 | Thin-film solar cells | (75) 81 |
| Strain balance | (75) 299 | Thin-film solar module | (75) 27 |
| String ribbon | (74) 57 | Tin isopropoxide | (75) 481 |
| Structural changes | (75) 313 | Tin oxide film | (75) 481 |
| Submodules | (75) 179 | TiO ₂ solar cell | (75) 475 |
| Substrate | (74) 469 | Transmission electron microscopy | (75) 17 |
| Sulfurization | (75) 451 | Transmittance | (75) 387 |
| Superlattice | (74) 147 | Transparent conducting oxide | (74) 449 |
| Superstrate | (74) 469 | Transparent electric window | (75) 475 |
| Suppression of darkening | (74) 429 | Transparent | (74) 127 |
| Surface damage | (75) 357 | Triethanolamine | (75) 481 |
| Surface passivation | (74) 147 | Tunnel junction | (75) 261 |
| Surface passivation | (75) 335 | Twin defects | (74) 225 |
| Surface photo-voltage | (74) 203 | Two-dimensional device simulator | (75) 433 |
| Surface recombination velocity | (74) 147 | Two-step method | (75) 145 |
| Surface treatment | (75) 193 | | |
| Surface | (74) 165 | Up-sealing | (74) 439 |
| System efficiency | (75) 673 | Upgraded metallurgical | (74) 219 |
| System performance ratio | (75) 655 | | |
| | | Vacuum evaporation | (75) 235 |
| Tandem cell | (74) 439 | Value-added PV application | (75) 547 |
| Tandem solar cell | (74) 479 | Variable incidence angle | (75) 397 |
| Tandem | (74) 339 | VHF-GD | (74) 457 |
| TCO | (74) 439, 469 | VHFGD | (74) 539 |
| TCO glass | (75) 387 | VI, II molar ratio | (75) 219 |
| Technological progress model | (75) 751 | V _{oc} | (74) 533 |
| Technology transfer | (74) 107 | Voltage regulation method | (75) 637 |
| Technology transfer | (75) 519 | | |
| Temperature coefficient | (75) 665 | WEL (Window Extension Layer) | (75) 101 |
| Temperature dependence of cell efficiency | (75) 781 | Wet chemical etching | (74) 195 |
| Texture | (75) 387 | Wide gap widow layer material of solar cell | (74) 379 |
| Texturisation | (74) 127 | Wide optical gap | (74) 429 |
| The path of the sun | (75) 781 | Window layer | (75) 121, 163 |
| The SV method | (75) 687 | Window | (75) 179 |
| Thermal annealing | (75) 411 | | |
| Thermal crystallization | (75) 87 | X-ray diffraction | (75) 427 |
| Thermodynamics | (75) 363 | X-ray photoelectron spectroscopy | (75) 17 |
| Thin cell | (75) 439 | | |
| Thin film materials | (74) 1 | Zinc oxide | (74) 439 |
| Thin film silicon | (74) 561 | Zinc treatment | (75) 17 |
| Thin film solar cell | (74) 255, 439 | Zircon | (74) 261 |
| Thin film solar cell | (75) 1, 101, 127 | Zn-doping | (75) 9 |

Zn _{1-x} Mg _x O	(75) 121	ZnO:Al films	(74) 387
ZnO window	(75) 171	ZnO:B	(75) 179
ZnO	(74) 469, 513	ZnSe	(75) 1, 17
ZnO	(75) 101	Zone-melting recrystallization	(74) 261

